HUBBARD COMMUNICATIONS OFFICE Saint Hill Manor, East Grinstead, Sussex

Remimeo HCO BULLETIN OF 23 JULY, 1971

(Corrected in Script Page 1, 4 May 1971) (Revises and replaces HCOB 15 Mar 71 of same title)

ASSISTS

A FLAG EXPERTISE SUBJECT (Commands are the only change)

For a pc being run on a Touch Assist for handling something around the head (for example: teeth), go further even to the toes as the area extends through the nerve channel to the whole body. Right - left and also whole body. A head sometic also sticks in the spine.

Assist EP

All Assists are run to cognition and should F/N VGI at the Examiner.

Injury Rundown

On an injury, after the <u>Touch Assist</u>, a <u>Contact Assist</u> and then an <u>LIC on the injured member could be done</u>. Usual Dianetic actions would follow as necessary.

Pc Running a Temperature

COMMANDS CORRECTED FROM EARLIER ISSUE.

A persistent temperature can be brought down by running the pc on Objective "Hold it still".

This can be run on a two command basis.

VERSION A

For a pc running a temperature too ill for regular auditing, he should be given antibiotics and an assist type boost, not a major action like Dianetics.

This version would be run if the pc is far too ill to get up. The pc is run on a meter to cog F/N VGIs.

1. 2 command Repetitive Process alternate commands:

a. Look around here and find something.

b. Hold it still (until pc can or feels he can).

Then (a) again.

Then (b) again, etc.

This will drop a fever.

2. 2 WC How do you feel? Have you felt like this before? Earlier Similar to FN VGIs.

VERSION A is NOT very lasting. It is for very ill pcs and very high temperatures.

VERSION B

This is true objective "Hold it still" and is very lasting.

It is done on a pc who can, even with effort, walk around a room.

It is done OFF the meter to Cog, GIs. The pc then should at once be put on the meter and will be found to have an F/N. If no F/N on the meter the process is either (a) unflat or (b) overrun. If unflat it is continued, flattened off the meter and the same meter test follows. If overrun the release point is rehabbed.

VERSION B Commands are:

- (a) Look around here and find something.
- (b) Walk over to it.
- (c) With your hands, hold it still.

The three commands are given in (a) (b) (c) sequence one after the other, the pc executing each command and being acknowledged until the pc has a cognition and GIs. He is then checked on the meter.

A thermometer can be used to check temperature after the meter check for F/N. The temperature will be found to have subsided.

Both A and B versions can be used on the same pc.

Let us say on Monday, A Version is used. Then on Tuesday if temperature has gone back up but pc is better B Version is then used.

The temperature process is most effective on a low order persistent fever that goes on and on for days and even weeks. In such cases Version B would be used and the temperature would come down and stay down very nicely.

and the second second

LRH:sb:nt Copyright © 1971 by L. Ron Hubbard ALL RIGHTS RESERVED L. RON HUBBARD FOUNDER