

BOARD TECHNICAL BULLETIN

8 MARCH 1971R

ISSUE IR

REVISED & REISSUED 10 JUNE 1974 AS BTB

CANCELS

Remimeo HCO BULLETIN OF 8 MARCH 1971  
Dn Checksheet ISSUE II  
Ext Int Checksheet SAME TITLE  
HGC Auditors

PRECISION DIANETICS

Dianetics is Precision run.

"There is no permissive R3R. Skipping R3R commands or not making the PC do each one is giving you keyouts like recalls and self-auditing PCs. The PC is made to execute each step by order even if he's done it. PCs will come back under auditor control!" LRH

A "fast" PC is never too fast for a precision auditor. There is a difference between a fast PC and a PC whom the auditor is not controlling.

R3R is run MUZZLED. Only the commands as given in BTB 6 May 1969R Issue IR, revised 10 June 1974, "Routine 3 R Revised Engram Running By Chains" are used. The full extent of TR 0 to 4 is used. No step is skipped ever.

R3R is precise and exact and never varied whether run by a Dianetic Auditor with no other Classification or by a Dianetic Auditor who is also a highly classed Scientology Auditor.

Training & Services Aide

Revised & Reissued as BTB  
by Flag Mission 1234

I/C: CPO Andrea Lewis  
2nd: Molly Harlow

Authorized by AVU

for the  
BOARDS OF DIRECTORS  
of the  
CHURCHES OF SCIENTOLOGY

EDCS:SW:AL:MH:JR:mh  
Copyright (c) 1971, 1974  
by L. Ron Hubbard  
ALL RIGHTS RESERVED

This is Reproduced and issued to you by  
The Publications Organization, U. S.